Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17648649	hash same document same keyand @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:55
S2	194	hash same document same key and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:28
S3	0	hash same document same key with rotate and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:03
S4	0	hash same key with rotate and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:04
S5	52	hash same key with change and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON MAR	2005/03/03 17:28
· S6	161	divide with text with data and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:28
S7	.0	divide with text with data same sign and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:29
S8	2	divide with text with data same hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:46
S9	0	divide with text with data same signature and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:29
S10	1	text with data same keyed adj hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:46

S11	55	keyed adj hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:56
S12		hash same "different key" and @ad<"""19990330"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:56